

Mohamed El Naschie's Revision of Albert Einstein's $E = m_0c^2$: A Definite Resolution of the Mystery of the Missing Dark Energy of the Cosmos

J. H. He¹, L. Marek-Crnjac^{2*}

¹Nantong Textile Institute, National Engineering Laboratory for Modern Silk,
College of Textile and Clothing, Soochow University, Suzhou, China

²Technical School Center of Maribor, Maribor, Slovenia
Email: hejihuan@suda.edu.cn, *leila.marek@guest.arnes.si

Received November 11, 2012; revised December 16, 2012; accepted December 25, 2012

ABSTRACT

The Egyptian engineering scientist and theoretical physicist Mohamed El Naschie has found a definite resolution to the missing dark energy of the cosmos based on a revision of the theory of Relativity. Einstein's equation of special relativity $E = m_0c^2$, where m_0 is the controversial rest mass and c is the velocity of light developed in smooth 4D space-time was transferred by El Naschie to a rugged Calabi-Yau and K3 fuzzy Kähler manifold. The result is an accurate, effective quantum gravity energy-mass relation which correctly predicts that 95.4915028% of the energy in the cosmos is the missing hypothetical dark energy. The agreement with WMAP and supernova measurements is astounding. Different theories are used by El Naschie to check the calculations and all lead to the same quantitative result. Thus the theories of varying speed of light, scale relativity, E-infinity theory, M-theory, Heterotic super strings, quantum field in curved space-time, Veneziano's dual resonance model and Nash's Euclidean embedding all reinforce, without any reservation, the above mentioned theoretical result of El Naschie which in turn is in total agreement with the most sophisticated cosmological measurement. Incidentally these experimental measurements and analysis were awarded the 2011 Nobel Prize in Physics to Adam Riess, Brian Schmidt, and Saul Perlmutter.

Keywords: Dark Matter; Homology of Fuzzy Kähler; Betti Numbers; Heterotic Strings; New Special Relativity Theory

1. Introduction

Special relativity presupposes a smooth space-time with Lorentzian symmetry group invariance [1]. Quantum space-time on the other hand is modelled via radically different geometrical realization [1-8]. In string theory, M-theory and super gravity one uses various types of Calabi-Yau and complex Kähler manifolds for space-time extra dimensions [9-17]. Consequently requiring Poincaré invariance in a complex space with extra dimensions will most surely lead to a different energy-mass relation than the classical equation of special relativity. Should the principle of scale relativity hold, then one would expect to retrieve Einstein's familiar formula in a scaled form [3-5]. Noting that for a continuous manifold the Betti number b_2 which counts the three dimensional holes in a manifold is given by $b_2 = 1$ and that the same Betti number for a K3 Kähler is $b_2 = 22$, it is possible to show that $E = m_0c^2$ may be elevated to a quantum relativity, *i.e.* a quantum gravity equation when scaled by $\lambda_{QR} = b_2(S^3)/b_2(K3) = 1/22$.

*Corresponding author.

This prior intuitive expectation noted first by El Naschie was confirmed later on by him on two counts, namely first experimentally using the cosmic measurement of Ries, Schmidt and Perlmutter [4] and second theoretically using numerous sophisticated established theories, all leading to the same robust result, namely $\lambda = 1/22$.

In this paper we show following El Naschie that for a fuzzy Kähler [10,13], the scaling factor changes from $\frac{1}{22}$ to $\frac{1}{(22+k)} = \frac{1}{22.18033989}$. In addition to giving a

derivation of $E_{QR} = \lambda_{QR}(m_0c^2)$ where m_0 is the controversial rest mass and c is the speed of light, we show that this result is in exquisite agreement with the cosmological measurement of COBE and WMAP as well as the analysis of certain supernovas which led to the award of last year's 2011 Nobel Prize in Physics [4]. Based on K3 fuzzy Kähler, one can predict with very high precision that the percentage of hypothetical dark energy missing in the universe is 95.4915028 percent. This is a potentially unprecedented agreement between theory and

measurement in cosmology, if not in all of theoretical physics [1]. We probably will know for sure when the Planck measurement project is completed. However this particular result of El Naschie has in one giant leap unified many theories, old and new, and reconciled theory with measurement [16-19]. In **Table 1** we summarize the results of various theories and methods leading to the same energy reduction factor of almost $\frac{1}{22}$.

2. Motives for Revising Einstein’s Energy-Mass Equation

As aptly noted by El Naschie, an equation based entirely on a smooth space with Lorentzian space-time invariance developed years before quantum mechanics was formulated by Heisenberg, Schrödinger and Dirac could not possibly be expected not to break down at some quantum or intergalactic scale [1-3]. In the present short paper we show following El Naschie that the missing dark energy in the cosmos, discovered through various accurate cosmological measurements [4] is due to some basic fundamental inadequacies of applying Einstein’s celebrated equation $E = m_0c^2$ where E is the energy, m_0 is the rest mass and c is the speed of light outside its range of validity [5,6]. We thought for a long time and understandably so that gravity cannot have that crucial effect on elementary particle physics. Similarly we thought that quantum

mechanics also has very little effect on cosmology except maybe when it comes to incredibly shrinking objects such as black holes [1].

However when we started asking very deep questions regarding the unification of all fundamental interactions [7,8] we recognized suddenly that at the extreme small distance such as the Planck length (10^{-33} cm) the feeble gravity becomes as strong as the other three fundamental forces, *i.e.* the weak force, the strong force and the electromagnetic force [1,3,7]. On the other hand we now just realize that quantum effect such as quantum entanglement has an impact on physics at extremely large intergalactic distances. It is so profound that the classical equation of Einstein $E = m_0c^2$ is off the correct result by almost 95.5% [4]. Seen with the eyes of a particle physicist this should not be that astonishing because the only degree of freedom of special relativity is a single messenger particle, the photon. By contrast the simplest model for high energy quantum physics, the standard model, needs 12 messenger particles equivalent to 12 degrees of freedom. Special relativity is highly confined by the Rayleigh theorem on Eigen value and is bound to overestimate energy levels.

In the present work we trace back the deficiency in $E = m_0c^2$ and prove that this is the case because of the real non-classical geometry and topology of the actual fabric of space-time [2,7,8]. This non-classical topology is essentially the cause of amplifying what we perceive as

Table 1. Result of some of the various theories applied to dark energy by El Naschie and E-Infinity Group.

Theory	Mass-energy equation	Remarks
General relativity plus holographic boundary	$E = \left(\frac{R^{(4)} - D^{(4)}}{ SL(2,7) + (R^{(4)} - D^{(4)})} \right) m_0c^2$ $= \frac{(20-4)}{336+(20-4)} m_0c^2 = \frac{1}{22} m_0c^2$	$R^{(4)}$ is the number of independent components of the Riemannian tensor in $D = 4$ or the degrees of freedom of pure gravity in $D = 8$. Thus we have $R^{(n)} = \frac{n^2(n^2-1)}{12} = \frac{4^2(4^2-1)}{12} = 20$
General relativity plus 6D Calabi-Yau manifold	$E = \frac{1}{(R^{(4)} + D^{(6)}) - D^{(4)}} m_0c^2$ $= \frac{1}{(20+6)-4} m_0c^2 = \frac{1}{22} m_0c^2$	Calabi-Yau manifold has 6 real dimensions and is used as $K3$ Kähler in superstring theories. By contrast $K3$ Kähler has 4 dimensions only but they are complex dimensions, not real.
Special relativity in a hyper 4D J. H. He—Hilbert cube given by $D = 4 + \frac{1}{4 + \frac{1}{4 \dots}}$ = $4 + \phi^3 = 4.2360679$	$E = \frac{1(1-\phi)^2}{2(1+\phi)} m_0c^2 = \frac{\phi^5}{2} m_0c^2$	We introduced on light cone speed $\frac{(1-\phi)}{(1+\phi)}$ as well as a light cone mass $m_0(1+\phi)$ and utilize Hardy’s quantum entanglement.
Nottale’s scale relativity	$E = \left(\frac{1}{\ln \bar{\alpha}_{GUT}} \right) m_0c^2$ <p>where $\bar{\alpha}_{GUT} \cong 110$ is the inverse coupling constant of grand unification of all non-gravitational forces. Thus</p> $E = \frac{m_0c^2}{(4.70042)^2} = \frac{1}{22.09} m_0c^2 \approx \frac{1}{22} m_0c^2$	Scaling as a gauge theory is an idea due to Herman Weyl. This idea leads to physical contradiction unless space-time is a fractal devoid of any natural scale such as all non-Archimedean geometrical and P-Adic theories

quantum effect which screens the energy by as much as 95.5% in full agreement with measurements. In particular we will show that the ratio of the two Betti numbers [9-12] fixes the homology of space-time's de Rham topology of smooth classical space-time of relativity and the rugged $K3$ Kähler [11] based quantum space-time of quantum gravity and give us a scaling $\lambda_{QR} = b_2$ (smooth)/ b_2 (Kähler) which accounts for the 95.5% missing dark energy [4]. It is well known that the Betti numbers are topological invariants of a manifold [9,10] exactly as the dimensions and the Euler characteristics [9-12] with the added advantage that b_2 counts what we may call three dimensional holes (voids) [9] in the manifold (space-time fabric). That way all the fine structures of our space are taken into account [9,13]. How this actually is done is what we will explain next.

3. Homology of a Space-Time Based on Crisp $K3$ Kähler Manifold

Following super strings and related theories [12] we look first at the possibility of a quantum gravity space-time based upon a $K3$ Kähler manifold [13]. We start with a non-fuzzy crisp Kähler then look at the fractal-like fuzzy case.

3.1. Classical Non-Fuzzy Kähler

We consider a $K3$ Kähler manifold with four complex dimensions used extensively in theories with hidden dimensions particularly super and Heterotic string theory [12,13]. The manifold is fixed by the Betti numbers which determine the Euler characteristic and the signature. In case of non-fuzzy (crisp) $K3$ the Betti numbers are [10,13]

$$b_0 = b_4 = 1, b_1 = b_3 = 0, b_2^- = 19 \text{ and } b_2^+ = 3. \quad (1)$$

It follows then that the Euler characteristic is [10,13]

$$\chi = b_0 + b_4 + b_2^- + b_2^+ = 1 + 1 + 19 + 3 = 24 \quad (2)$$

while [10,13]

$$b_2 = b_2^+ + b_2^- = 3 + 19 = 22 \quad (3)$$

and the signature is [10,13]

$$X = b_2^+ - b_2^- = 3 - 19 = -16 \quad (4)$$

We stress once more that b_2 counts the 3 dimensional holes in $K3$ and will play a crucial role in our derivation.

3.2. Fuzzy, Fractal-Like $K3$ Kähler

Now we look at an even more exotic version of $K3$ [13]. With that we mean El Naschie's fuzzy Kähler which he used in earlier studies in a slightly modified form [13, 14]. The El Naschie Kähler we construct here is a fuzzy

version of the one considered above. The Kähler in question is given by the same b_0, b_4, b_1 and b_3 as the previous crisp Kähler. Only b_2^- and b_2^+ which measure a sort of average number of $3D$ fractal voids are given by [13,14]

$$b_2^- = 19 - \phi^6 \text{ and } b_2^+ = 3 + \phi^3 \quad (5)$$

where $\phi = (\sqrt{5} - 1)/2$. It follows then that [13,14]

$$b_2 = (19 - \phi^6) + (3 + \phi^3) = 22 + k = 22.18033989. \quad (6)$$

It is important to note the following: The small numbers $\phi^6 = 0.05572809014$ as well as $\phi^3 = 0.236067977$ and $k = \phi^3(1 - \phi^3) = 0.18033989$ all have various physical, topological and geometrical interpretations. For instance ϕ^6 is the exact value of the vital Immirzi parameter of loop quantum gravity without which nothing would fit in this theory [15]. In addition and as realized for the first time by El Naschie ϕ^6 may be viewed as the probability for quantum entanglement of three quantum particles while ϕ^5 is the well known Hardy's generic probability of quantum entanglement [16,17] for two particles which was also confirmed experimentally. The ϕ^3 on the other hand is the generic probability of a Cantorian space-time with a core Hausdorff dimension equal to $(4 + \phi^3) = 4 + \bar{4}$ and is directly related to the famous Unruh temperature as demonstrated by El Naschie in some of his unpublished papers and lectures. Finally

$$\frac{1+k}{10} = \frac{\phi^3}{2}. \quad (7)$$

That means

$$k = 5\phi^3 - 1, \quad (8)$$

which is a deep and useful relation utilized in various E-Infinity derivations.

4. Elevating Einstein's Relativistic Equation to a Quantum Gravity Energy-Mass Relation

We said that b_2 is an important homological invariant of a manifold [9-11] and that it basically counts the 3 dimensional voids in the manifold [9,14]. For a two sphere S^2 or any connected manifold b_2 is equal to unity $b_2 = 1$. On the other hand for our classical Kähler $b_2 = 3 + 19 = 22$, and this number already indicates that this manifold is almost a Swiss cheese full of 3 dimensional holes [10, 13]. Compared to the smooth S^2 manifold akin to the space-time of Einstein, $K3$ has 22 times less space-time and following general relativity, less energy. Now following, for instance, Nottale's scale relativity principle, we could define a scaling λ_{QR} to be:

$$\lambda_{QR} = \frac{b_2(\text{Einstein space})}{b_2(\text{Kähler})} = \frac{1}{22} \quad (9)$$

and use it to scale $E = m_0c^2$ to

$$\begin{aligned} E_{QR} &= \lambda_{QR} (m_0c^2) = \frac{1}{22} (m_0c^2) \\ &= 0.0454545 (m_0c^2). \end{aligned} \quad (10)$$

This implies that the missing hypothetical dark energy is

$$E(\text{dark}) = \left(1 - \frac{1}{22}\right) (100) = 95.454545\%. \quad (11)$$

This is extremely close to the cosmological measurement [4]. Even better still, if we use the fuzzy version we arrive at a mathematically exact equation

$$E(\text{dark}) = \left(1 - \frac{1}{22+k}\right) (100) = 95.49150281. \quad (12)$$

In fact when using the fuzzy Kähler we notice immediately a quantum mechanical interpretation of the result because

$$E_{QR} = \left(\frac{1}{22+k}\right) (m_0c^2) \quad (13)$$

means that

$$E_{QR} = \frac{1}{2} (\phi^5) (m_0c^2). \quad (14)$$

However ϕ^5 is nothing else but Hardy's generic quantum entanglement [16,17] so that our λ_{QR} may be viewed as the screening of a substantial part of the energy in the cosmos by quantum entanglement reducing the Newtonian action at distance by as much as $(1 - \phi^5/2)(100) = 95.4915\%$. Finally there is an even more immediate interpretation when we invoke string theory and M-theory. The largest number of dimensions in Heterotic string theory is 26 in the classical case [12] and $26 + k$ in the transfinite fractal-fuzzy case [7,14]. However we can make real measurement only via 4 dimensions, 3 space dimensions and one time dimension. Thus we have 22 hidden dimensions [12]

$$D(\text{hidden}) = 26 - 4 = 22 \quad (15)$$

or more accurately [12,14]

$$D(\text{hidden}) = 26 + k - 4 = 22 + k \quad (16)$$

Thus our scaling exponent is

$$\lambda_{QR} = \frac{1}{D(\text{hidden})} = \frac{1}{22} \quad (17)$$

or in the fuzzy case [13,14]

$$\lambda_{QR} = \frac{1}{22+k}. \quad (18)$$

Within this mental picture we could say that the missing dark energy is concealed and hidden inside the dark

extra dimension [7,12,14]. It is a deep philosophical and ontological question to consider something which we cannot measure nor detect to be real or not.

5. Conclusion

The homology of $K3$ Kähler and what El Naschie calls extra "dark" dimensions is the definite cause behind what we call the missing dark energy [4]. To arrive at the correct quantitative result and reconcile theory with experiments we need to scale the classical $E = m_0c^2$ by a scale relativity factor λ_{QR} defined as the ratio of two second Betti numbers [10,11]. Since the Betti number of fuzzy Kähler b_2 is $22 + k$ and since $b_2 = 1$ for Einstein space of special relativity, our λ_{QR} becomes equal to $1/(22+k)$ and one finds $E_{QR} = \lambda_{QR} (m_0c^2)$ [9]. This means the so-called missing dark energy of the cosmos is exactly equal to $(1 - \lambda_{QR})(100) = 95.4915028\%$. It is almost surreal how close the results of cosmic measurement are to this percentage [4]. Noting that λ_{QR} may also be written as $\phi^5/2$ that means half Hardy's quantum entanglement probability found using orthodox quantum mechanics and confirmed through sophisticated quantum information experiments, we feel that the ordinary sharp non-fuzzy $K3$ Kähler manifold approximates quantum gravity space-time geometry and topology to an astonishing extend and must be real. Seen that way, we must infer with El Naschie that the designer of the universe is a mathematician [1] with a deep inclination towards topology, geometry and number theory [7]. From a purely intuitive view point however the result is not surprising when we remember that in terms of particle physics Einstein's special relativity could in principle be found from a Lagrangian with a single generalized coordinate, namely the photon. A realistic theory of nature however must have a Lagrangian with a minimum of 12 generalized coordinates representing 12 massless gauge Bosons being the number of messenger particles of the standard model of high energy physics [1,7,14]. Our E-Infinity team has checked El Naschie's result using at least 10 different theories including Nottale's scale relativity, Magueijo and Smolin's varying speed of light theory, Witten's M-theory, Veneziano's dual resonance theory and quantum field Yang-Mills theory in curved space-time and obtained exactly the same result reported [18,19]. **Table 1** gives an overview of some of these results. With that we feel quite confident that the mystery of the dark energy has been solved at least in principle by Mohamed El Naschie and that it is essentially not a mystery any more.

REFERENCES

- [1] R. Penrose, "The Road to Reality," Jonathan Cape, London, 2004.

- [2] Y. Baryshev and P. Teerikorpi, "Discovery of Cosmic Fractals," World Scientific, Singapore, 2011.
- [3] L. Nottale, "Scale Relativity," Imperial College Press, London, 2011.
- [4] L. Amendola and S. Tsujikawa, "Dark Energy, Theory and Observations," Cambridge University Press, Cambridge, 2010.
- [5] J. Mageuijo and L. Smolin, "Lorentz Invariance with an Invariant Energy Scale," 2001, arXiv:hep-th/0112090v2.
- [6] J. Mageuijo, "Faster than the Speed of Light," William Heinemann, London, 2003.
- [7] M. S. El Naschie, "The Theory of Cantorian Space-Time and High Energy Particle Physics," (An Informal Review), *Chaos, Solitons & Fractals*, Vol. 41, No. 5, 2009, pp. 2635-2646. [doi:10.1016/j.chaos.2008.09.059](https://doi.org/10.1016/j.chaos.2008.09.059)
- [8] M. S. El Naschie, "The Discrete Charm of Certain Eleven Dimensional Space-Time Theory," *International Journal of Nonlinear Sciences and Numerical Simulation*, Vol. 7, No. 4, 2006, pp. 477-481.
- [9] C. Nash and S. Sen, "Topology and Geometry for Physicists," Academic Press, San Diego, 1983.
- [10] D. Joyce, "Compact Manifolds with Special Holonomy," Oxford Press, Oxford, 2003.
- [11] S. Yau and S. Nadis, "The Shape of Inner Space," Perseus Book Group, New York, 2010.
- [12] J. Polchinski, "String Theory," Cambridge University Press, Cambridge, 1999.
- [13] M. S. El Naschie, "On a Class of Fuzzy Kähler-Like Manifolds," *Chaos, Solitons & Fractals*, Vol. 26, No. 2, 2005, pp. 477-481. [doi:10.1016/j.chaos.2004.12.024](https://doi.org/10.1016/j.chaos.2004.12.024)
- [14] M. S. El Naschie, "E-Infinity-Some Recent Results and New Interpretations," *Chaos, Solitons & Fractals*, Vol. 29, No. 4, 2006, pp. 845-853. [doi:10.1016/j.chaos.2006.01.073](https://doi.org/10.1016/j.chaos.2006.01.073)
- [15] C. Rovelli, "Quantum Gravity," Cambridge Press, Cambridge, 2004. [doi:10.1017/CBO9780511755804](https://doi.org/10.1017/CBO9780511755804)
- [16] M. S. El Naschie, "Quantum Entanglement as a Consequence of a Cantorian Micro Space-Time Geometry," *Journal of Quantum Information Science*, Vol. 1, No. 2, 2011, pp. 50-53. [doi:10.4236/jqis.2011.12007](https://doi.org/10.4236/jqis.2011.12007)
- [17] J.-H. He, *et al*, "Quantum Golden Mean Entanglement Test as the Signature of the Fractality of Micro Space-Time," *Nonlinear Science Letters B*, Vol. 1, No. 2, 2011, pp. 45- 50.
- [18] M. S. El Naschie and L. Marek-Crnjac, "Deriving the Exact Percentage of Dark Energy Using a Transfinite Version of Nottale's Scale Relativity," *International Journal of Modern Nonlinear Theory and Application*, in Press, 2012.
- [19] M. S. El Naschie, "Revising Einstein's $E = mc^2$, a Theoretical Resolution of the Mystery of Dark Energy," *Proceedings of the Fourth Arab International Conference in Physics and Material Science*, Egypt, 1-3 October 2012, p. 1.